# STATEMENT OF WORK FOR THE Rebuild of the TYPE V TERMINAL CCA for the SB-3614(V)/TT

NSN: 5999-01-206-6013 & 5999-01-138-1758

- 1.0 SCOPE. This document contains requirements to restore the Type V Terminal CCA for the SB-3614(V)/TT, NSN 5999-01-206-6013, CAGE 80372, Part Number 755090A0916; and NSN 5999-01-138-1758, CAGE 04655, Part Number 06-1356146-1 to Condition Code "A". Condition Code "A" is defined as "serviceable/issueable without qualification, new, used, repaired or reconditioned material that is serviceable and issueable to all customers without limitation or restriction, including material with more than 6 months shelf-life remaining".
- 1.1 This Statement of Work (SOW) identifies the work effort including repair, testing, and packaging/marking requirements that shall be performed by the Contractor to rebuild the Type V Terminal CCA for the SB-3614(V)/TT, NSN 5999-01-206-6013, CAGE 80372, Part Number 755090A0916; and NSN 5999-01-138-1758, CAGE 04655, Part Number 06-1356146-1.
- 2.0 <u>Applicable Documents</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the DoD Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement. As there are two different manufacturers with different part numbers and cage codes for this CCA, the specifications required for repair/rebuild are the same for both, as they are identical.

### 2.1 Military Standard

MIL-STD-129 DoD Standard Practice for Military Marking

MIL-STD-2073-1C DoD Standard Practice for Military Packaging

Military Standard (For Reference Only)

MIL-STD-973 Configuration Management

2.2 Other Government Documents and Publications

DMWR 11-5805-695 Rebuild Standard for the Switchboard, Telephone,

SB-3614(V)/TT

DoD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A NAVICP Instruction; Requisitioning of Contractor

Furnished Material from the Federal Supply System

755090B0315 Acceptance Test Procedure

#### SOW-01-847-3-8B176C-1/1

755090A0916 Engineering Drawing for Type V Terminal CCA

PL 755090A0916-1 Parts List for Type V Terminal CCA

755090A0917-1 Logic Diagram

755090A0350-1 Criteria Specification

2.3 Industry Standard

ANSI/EIA-625 Requirements for Handling Electrostatic-Discharge

Sensitive ESDS Devices

ANSI/ISO/ASQC Q9003-1994 Quality Systems

Copies of Military Specifications and Standards are available from the Naval Publications and Forms Center, (ATTN: NPODS), 5801 Tabor Avenue, Philadelphia, PA 19120-5099. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (912) 439-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 825-3, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

# 3.0 Requirements

3.1 The Contractor shall rebuild the Type V Terminal CCA for the SB-3614(V)/TT in accordance with DMWR 11-5805-695 and Engineering Drawings 755090B0315, 755090A0917-1, 755090A0350-1, 755090A0916 and PL755090A0916-1.

# 3.2 Packaging, Handling, Storage and Transportation (PHS&T)

- a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items being prepared for long term storage or shipment to overseas destinations shall be preserved and packaged in accordance with level "A" requirements of MIL-STD-2073-1C, Appendix J, Table J.Ia., Specialized Preservation Code "GX". Items being prepared for domestic shipment or immediate use shall be to level "B" requirements. All items subject to electrostatic sensitivity shall be packed into a reusable fast pack container.
  - b. Marking shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the rebuilt equipment. The Contractor shall be responsible for arranging for shipment

to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

- 3.3 <u>Configuration Control</u>. The Contractor shall implement configuration control to established configuration items. Deviation from the established baseline configuration will not be allowed without the approval in writing from the Weapon System/Equipment Manager (Code 847-3). If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation/Request for Waiver. MIL-STD-973 (paragraph 5.4.3 or 5.4.4 and Appendix E) may be used as a guide.
- Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). GFE is government owned equipment authorized by contract for use by a commercial/government contractor. It is neither consumed during the production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements, the Management Control Activity (MCA/822), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.
- 3.5 Quality Assurances Provisions. The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test.
- 3.6 <u>Electrostatic Discharge (ESD) Control Program</u>. The Contractor shall establish, implement and document an ESD control program following the guidelines provided in ANSI/EIA-625. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.
- 3.7 <u>Contractor Furnished Materiel (CFM)</u>. The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event Contractor Furnished Materiel (CFM) is required for repair parts, the contractor shall requisition through the DoD Supply System. DoD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.

# **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gethering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arisngton, VA 22202-4302. Respondents should be aware that notwithstancing any other provision of law, no person shall be subject to any penalty for fairing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

				×		OTHER	C. CATEGORY:		B. EXHIBIT	TEM NO.	CONTRACT LINE I		
			_			F. CONTRA		E. CONTRACT/PR	4 (3.1) /mm		SYSTEM/ITEM		
$\dashv$						3. SUBTITLE			+( V )/ 1 1	nal CCA, SB-3614 2. Title of data item	ype V Termir		
					C C			F. W.	D		A001		
		nt 	ageme	uration Man	CONTIGUE 6. REQUIRING		Request For Waiver    S. CONTRACT REFERENCE						
			(825)	MCLBA	2.112.011110		SOW 3.3		b. AUTHORITY (Data Acquisition Document No.)  5. CONTRACT REFERI				
	1			14. DISTRIBUTION			12. DATE OF FIRST SUBMISS SEE BLK	y .SREQ	7. DD 250 REQ 9. DIST STATEMENT 10. FREQUENCY REQUIRED 10. FREQUENCY				
	inal	b. COPIES		DDRESSEE	2.01	. 10	SEE DLA  13. DATE OF SUBSEQUENT		11. AS OF DATE		LT IPP CODE		
epro		Reg	Draft	DUNESSEE	d. AL		SUBMISSION			A			
0		1	0	A (825-2)	MCLB/			· · · · · · · · · · · · · · · · · · ·			REMARKS		
$\perp$	oppi				ļ 					ctor format is auth			
4	F			w		ver	orization to delived configuration	to obtain auth neet prescribe	ibmitted to locs not n	RFWs shall be so material which d	lks 10 & 12 - onconforming ocumentation.		
						days upon	nin 30 calendar (	etermined wit	osition de	reviewed and disp Government.	FWs will be r ceipt by the C		
-	$\vdash$						address:	the following .mil	-Mail to 1 om.usmc	transmitted via E figmngmnt@matc	FWs shall be bmatcomconf		
						unlimited.				atement A: Appre			
	┝												
	ļ				***************************************								
	ł												
	$\perp$												
	1												
_	╀				<u> </u>								
	$\dagger$					,							
	$oxed{\bot}$												
-	+												
$\dashv$	╀												
$\dashv$	+				·								
	I												
_	╀												
$\dashv$	t												
	<u> </u>												
$\dashv$	+												
	$^{\dagger}$												
0	$\prod$	1	) 0	<del></del>	15. TOTAL	D.V		11 8475			DOCDARCS SW		
		:	J. DATE	W	10	· 10/2	I. APPROVED	H. DATE	1)	( n)	PREPARED BY		
9	<u> </u>	12	6D		va	4 AL		310a9	<u>~~~</u>	e (oll	Lan		
Pages	Ī	of	Page		7	E I <b>ISE</b> N	EVIOUS EDITION MAY 18	DE		1 AUG 98 (FG)	D FORM 1423-1		

# **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments reparding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jafferson Davis Highway, Suite 1204, Artington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Sand completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE I	TEM NO.	B. EXHIBIT	Γ	C. CATEGORY:		×			
		<u> </u>		TDPTM	OTHER				
D. SYSTEM/ITEM Type V Termin	nal CCA, SB-361	4(V)/TT	E. CONTRACT/PR	<b>₽</b> U.	F. CONTRA	U I UN			
1. DATA ITEM NO.	2. TITLE OF DATA ITEM		·		3. SUBTITLE				$\neg$
4.005		_	D D 12						
A002		Request	For Deviation		ļ	Configuration Management			
4. AUTHORITY (Data Acquisi	tion Document No.) CMAN-80640B		5. CONTRACT REFEREN	SOW 3.3		6. REQUIRING OFFICE  MCLBA (825)			
7. DD 250 REQ	8. DIST STATEMENT	10. FREQUENC				14. DISTRIBUTION			
LT	REQUIRED			SEE BLK 10	16	TO SIGNIBULIE	b. COPIES		-1
8. APP CODE		11. AS OF DA	TE	13. DATE OF SUBSECUENT SUBMISSION		a. Addressee	D. /:	Fin	al
	Α			SUBMISSION			Draft	Reg	Repro
16. REMARKS						MCLBA (825-2)	0	1	0
	ctor format is auti						<del>                                     </del>		
Blks 10 & 12 - nonconforming documentation	RFDs shall be sugmaterial which of	ibmitted loes not i	to obtain authomeet prescribe	orization to delive ed configuration	er				
RFDs will be receipt by the	reviewed and disp Government.	oosition d	etermined with	hin 30 calendar da	ays upon				
RFDs shall be mbmatcomeon	transmitted via E figmngmnt@mate	-Mail to com usmo	the following c.mil	address:					
Distribution St	atement A: Appi	roved for	public release	e; distribution is u	nlimited.				
							<del> -</del>		
							]	-	. 1
									-
							<u> </u>		
						w.a	<b></b> _		
						15. TOTAL	0	1	0
G. PREPARED BY			H. DATE	I. APPROVED B	IY	· //	J. DAT		一一
M	P. 61	<i>i</i> ,	3 Dec		./.	VA M	/	<b>L</b>	ارم
and the same of th	oth	<u>~</u>		77 W/2	4.1	( not k	61	74	79
DD FORM 1423-	1, AUG 96 (EG)		Pi	REVIOUS EDITION MAY BE	USED.		Page	of	Pages

17. PRICE GROUP 8. ESTIMATED